

Special Fire Fighting Procedure: As per surrounding fire.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedure: Stop leak, Rinse to drain or absorb with non-reactive adsorbent and dispose according to existing federal, state, provincial and municipal regulations. Resume cleaning by rinsing with water.

SECTION 7 : HANDLING AND STORAGE

Handling: Follow standard safe handling of materials. Keep out of reach of children.

Storage Requirements: Keep in original tightly closed containers, in a room below 30 °C.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

Follow standard safe handling of materials.

SECTION 9 : PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point (°C) : 100
Vapor Pressure (mm Hg) : N/A
Vapor Density (Air = 1) : N/A
Solubility in water : complete
Physical State : liquid
Appearance: transparent to translucent
Odour: spicy scent

Density (g/mL): 0.999 at 23 °C
VOC (Wt %) : calculated approx. <1%
Evaporation Rate (Water + 1) : water like
pH (as supplied) : 7.0 to 8.5
Viscosity : water like
Odour Threshold (ppm) : N/A

SECTION 10 : STABILITY AND REACTIVITY DATA

Conditions for Chemical Instability: This product is stable under normal conditions. It does not polymerize.

Conditions to Avoid: Excessive heat.

Incompatible Materials: Strong oxidizing agents, strong alkalis, strong acids.

Hazardous Decomposition Products: The thermal decomposition can produce carbon and sulfur oxides and other organic substances.

SECTION 11 : TOXICOLOGICAL INFORMATION

Routes of Entry: Eyes, skin, ingestion, inhalation.

EFFECTS OF ACUTE EXPOSURE :

Acute Oral Toxicity: LD50:> 5000 mg/Kg (EPA Category IV).

Acute Dermal Toxicity: LD50:> 5000 mg/Kg (EPA Category IV).

Acute Inhalation Toxicity: LC50:> 2.01 mg/L (EPA Category IV).

Acute Eye Irritation: Minimal, all effects cleared in 24 hours (EPA Category IV).

Acute Dermal Irritation: Slight, no erythema or edema at 72 hours (EPA Category IV).

Skin Sensitization: Not a sensitizer (EPA Category IV).

Classified as a Category IV by the U.S. Environmental Protection Agency (EPA) per toxicity profile Review for all routes of exposure: no signal words, no precautionary statements or first aid statements required on product label.

EFFECTS OF CHRONIC EXPOSURE :

Irritancy: Frequent prolonged contact may result in dry skin, redness and dermatitis.

Carcinogenicity/Mutagenicity: No, not predictable.

SECTION 12 : ECOLOGICAL INFORMATION

Biodegradability: Readily Biodegradable (OECD 301E)

Aquatic toxicity: Not toxic to aquatic life (IC50 > 100 mg/L, report EPS 1 / RM / 24)

Method: Microtox® Acute Toxicity Test

Test organism: *Vibrio fischeri*

Results:

CI 50-5 min	560mg/l
IC 95 %-5 min	500-600 mg/L
CI 50-15 min	660 mg/L
IC 95 %-15 min	540-780 mg/L

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose according to existing federal, state/provincial and municipal regulations. This product is biodegradable.

SECTION 14 : TRANSPORT INFORMATION

D.O.T. Not regulated as dangerous goods.

Not regulated for **IATA**.

SECTION 15 ::